




## CONTENT

|                                                 |       |
|-------------------------------------------------|-------|
| PITCHED ROOF<br>TILE                            | 6-9   |
| PITCHED ROOF<br>TRAPEZE, CORRUGATED             | 10-13 |
| PITCHED ROOF<br>STANDING SEAM                   | 14-17 |
| PITCHED ROOF<br>TRAPEZE ADJUSTABLE CONSTRUCTION | 18-21 |
| FIXED CONSTRUCTION<br>SOLAR PRO                 | 22-25 |
| FIXED CONSTRUCTION<br>SOLAR ULT                 | 26-27 |
| GROUND SYSTEMS                                  | 28-31 |
| CARPORT                                         | 32-35 |
| FV PANELS and ACCESSORIES                       | 36-38 |




# 1.1

PITCHED ROOF  
TILE


6 - 9

# 1.2

PITCHED ROOF  
STANDING SEAM



10 - 13




# 1.3

PITCHED ROOF  
TRAPEZE, CORRUGATED



14 - 17

# 1.4

PITCHED ROOF  
TRAPEZE ADJUSTABLE CONSTRUCTION



18 - 21



**2**

**2.1**

**FIXED CONSTRUCTION  
SOLAR PRO**


**2.2**

**FIXED CONSTRUCTION  
SOLAR ULT**

**22 - 27**

**3**

**GROUND SYSTEMS**



**28 - 31**

**4**


**CARPORT**




**32 - 35**

**5**

**FV PANELS and ACCESSORIES**



**36 - 38**




|                    |                     |
|--------------------|---------------------|
| <b>Application</b> | Tile roof           |
| <b>Slope</b>       | Parallel with roof  |
| <b>Material</b>    | AL 6005-T5, SUS 304 |
| <b>Finish</b>      | AL6005-T5 elox      |

|             |                     |          |
|-------------|---------------------|----------|
| Orientation | Portrait, Landscape |          |
| Warranty    | 10 years            |          |
| LOAD        | 60km/h              | 1,4kN/m² |
|             |                     |          |



## HOOKS

SOL-TRH-T01  
SOL-TRH-T06  
SOL-TRH-T07  
SOL-TRH-T08  
SOL-TRH-T14  
SOL-TRH-T18  
SOL-TRH-S01  
SOL-TRH-F06  
SOL-TRH-T19  
SOL-TRH-AL1



## PROFILES

SOL-R52




## CLAMPS

SOL-FEC...  
SOL-AEC  
SOL-EIC




## ACCESSORIES







| Material | Finish | Effect | art.        |
|----------|--------|--------|-------------|
| AISI304  | raw    | silver | SOL-TRH-T01 |




| Material | Finish | Effect | art.        |
|----------|--------|--------|-------------|
| AISI304  | raw    | silver | SOL-TRH-T06 |




| Material | Finish | Effect | art.        |
|----------|--------|--------|-------------|
| AISI304  | raw    | silver | SOL-TRH-T07 |




| Material | Finish | Effect | art.        |
|----------|--------|--------|-------------|
| AISI304  | raw    | silver | SOL-TRH-T08 |




| Material | Finish | Effect | art.        |
|----------|--------|--------|-------------|
| AISI304  | raw    | silver | SOL-TRH-T18 |



| Material | Finish | Effect | art.        |
|----------|--------|--------|-------------|
| AISI304  | raw    | silver | SOL-TRH-T14 |





| Material | Finish | Effect | art.        |
|----------|--------|--------|-------------|
| AISI304  | raw    | silver | SOL-TRH-S01 |



| Material | Finish | Effect | art.        |
|----------|--------|--------|-------------|
| AISI304  | raw    | silver | SOL-TRH-F01 |




| Material | Finish | Effect | art.        |
|----------|--------|--------|-------------|
| AISI304  | raw    | silver | SOL-TRH-T19 |



| Material           | Finish  | Effect | art.        |
|--------------------|---------|--------|-------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-TRH-T29 |

## PROFILES



| Material           | Finish  | Effect | art.           | L    |
|--------------------|---------|--------|----------------|------|
| ANODIZED ALUMINIUM | natural | silver | SOL-R52-2200   | 2200 |
|                    |         | black  | SOL-R52-3000   | 3000 |
|                    |         | black  | SOL-R52-3000-B | 3000 |
|                    |         | silver | SOL-R52-4700   | 4700 |
|                    |         | black  | SOL-R52-4700-B | 4700 |
|                    |         | silver | SOL-R52-5000   | 5000 |
|                    |         | black  | SOL-R52-5000-B | 5000 |




| Material           | Finish  | Effect | art.         | L   |
|--------------------|---------|--------|--------------|-----|
| ANODIZED ALUMINIUM | natural | silver | SOL-SFR-01   | 150 |
|                    |         | black  | SOL-SFR-01-B | 150 |




| Material      | Finish | art.    |
|---------------|--------|---------|
| Rubber (EPDM) | black  | SOL-REC |


## CLAMPS



| Material           | Finish  | Effect | art.         | h  |
|--------------------|---------|--------|--------------|----|
| ANODIZED ALUMINIUM | natural | silver | SOL-FEC-30   | 30 |
|                    |         | black  | SOL-FEC-30-B | 30 |
|                    |         | silver | SOL-FEC-35   | 35 |
|                    |         | black  | SOL-FEC-35-B | 35 |



| Material           | Finish  | Effect | art.      | h     |
|--------------------|---------|--------|-----------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-AEC   | 30-35 |
|                    |         | black  | SOL-AEC-B | 30-35 |



| Material           | Finish  | Effect | art.      | h     |
|--------------------|---------|--------|-----------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-EIC   | 30-40 |
|                    |         | black  | SOL-EIC-B | 30-40 |


## ACCESSORIES



| Material           | Finish  | Effect | art.    |
|--------------------|---------|--------|---------|
| ANODIZED ALUMINIUM | natural | silver | SOL-NBW |




| Material | Finish | Effect | art.    |
|----------|--------|--------|---------|
| AISI304  | raw    | silver | SOL-TBK |



| Material | Finish | Effect | art.       |
|----------|--------|--------|------------|
| AISI304  | raw    | silver | SOL-CCP-04 |



| Material | Finish | Effect | art.      |
|----------|--------|--------|-----------|
| AISI304  | raw    | silver | SOL-REL-B |





| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-ELG-03 |



| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-ELG-05 |

# 1.2 PITCHED ROOF


## STANDING SEAM



### SPECIFICATION


|             |                           |
|-------------|---------------------------|
| Application | Standing seam roof        |
| Slope       | Parallel with roof        |
| Material    | AL 6005-T5, SUS 304, EPDM |
| Finish      | AL6005-T5 elox            |

|             |                             |
|-------------|-----------------------------|
| Orientation | Portrait, Landscape         |
| Warranty    | 10 years                    |
| LOAD        | 60km/h 1,4kN/m <sup>2</sup> |



## HOLDERS

SOL-C04  
SOL-C05  
SOL-C10



## PROFILES

SOL-R52-...



## CLAMPS


SOL-FEC...  
SOL-AEC  
SOL-EIC




## ACCESSORIES



# HOLDERS




| Material | Finish | Effect | art.        |
|----------|--------|--------|-------------|
| AISI304  | raw    | silver | SOL-TRB-C10 |




+



| Material           | Finish  | Effect | art.    |
|--------------------|---------|--------|---------|
| ANODIZED ALUMINIUM | natural | silver | SOL-RCC |




| Material           | Finish  | Effect | art.        |
|--------------------|---------|--------|-------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-TRB-C04 |




+



| Material           | Finish  | Effect | art.    |
|--------------------|---------|--------|---------|
| ANODIZED ALUMINIUM | natural | silver | SOL-RCN |




| Material           | Finish  | Effect | art.        |
|--------------------|---------|--------|-------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-TRB-C05 |




+



| Material           | Finish  | Effect | art.    |
|--------------------|---------|--------|---------|
| ANODIZED ALUMINIUM | natural | silver | SOL-RCN |



## PROFILES




| Material           | Finish  | Effect | art.           | L    |
|--------------------|---------|--------|----------------|------|
| ANODIZED ALUMINIUM | natural | silver | SOL-R52-2200   | 2200 |
|                    |         | black  | SOL-R52-3000   | 3000 |
|                    |         | black  | SOL-R52-3000-B | 3000 |
|                    |         | silver | SOL-R52-4700   | 4700 |
|                    |         | black  | SOL-R52-4700-B | 4700 |
|                    |         | silver | SOL-R52-5000   | 5000 |
|                    |         | black  | SOL-R52-5000-B | 5000 |




| Material           | Finish  | Effect | art.         | L   |
|--------------------|---------|--------|--------------|-----|
| ANODIZED ALUMINIUM | natural | silver | SOL-SFR-01   | 150 |
|                    |         | black  | SOL-SFR-01-B | 150 |




| Material      | Finish | art.    |
|---------------|--------|---------|
| Rubber (EPDM) | black  | SOL-REC |



| Material           | Finish  | Effect | art.    |
|--------------------|---------|--------|---------|
| ANODIZED ALUMINIUM | natural | silver | SOL-RCC |




| Material           | Finish  | Effect | art.    |
|--------------------|---------|--------|---------|
| ANODIZED ALUMINIUM | natural | silver | SOL-RCB |




| Material           | Finish  | Effect | art.    |
|--------------------|---------|--------|---------|
| ANODIZED ALUMINIUM | natural | silver | SOL-RCN |


## CLAMPS



| Material           | Finish  | Effect | art.         | h  |
|--------------------|---------|--------|--------------|----|
| ANODIZED ALUMINIUM | natural | silver | SOL-FEC-30   | 30 |
|                    |         | black  | SOL-FEC-30-B | 30 |
|                    |         | silver | SOL-FEC-35   | 35 |
|                    |         | black  | SOL-FEC-35-B | 35 |



| Material           | Finish  | Effect | art.      | h     |
|--------------------|---------|--------|-----------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-AEC   | 30-35 |
|                    |         | black  | SOL-AEC-B | 30-35 |




| Material           | Finish  | Effect | art.      | h     |
|--------------------|---------|--------|-----------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-EIC   | 30-40 |
|                    |         | black  | SOL-EIC-B | 30-40 |

## ACCESSORIES



| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-ELG-02 |





| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-ELG-03 |



| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-ELG-05 |

# 1.3 PITCHED ROOF

## TRAPEZE, CORRUGATED



### SPECIFICATION


|             |                           |
|-------------|---------------------------|
| Application | Sheet metal roof          |
| Slope       | 5° / 10°                  |
| Material    | AL 6005-T5, SUS 304, EPDM |
| Finish      | AL6005-T5 elox            |

|             |                             |
|-------------|-----------------------------|
| Orientation | Portrait, Landscape         |
| Warranty    | 10 years                    |
| LOAD        | 60km/h 1,4kN/m <sup>2</sup> |



## HOLDERS

SOL-TRB-D01  
SOL-TRB-D03  
SOL-TRB-D05  
SOL-TRB-D18  
SOL-TRB-D21  
SOL-TRB-D26...  
SOL-MFS...  
SOL-MRS...



## PROFILES

SOL-TRB-D10  
SOL-TRB-D11  
SOL-TRB-D13  
SOL-TRB-D14  
SOL-R26-...  
SOL-R41-2-...  
SOL-R52-...



3

## CLAMPS

SOL-FEC...  
SOL-AEC  
SOL-EIC



## ACCESSORIES



## HOLDERS



| Material           | Finish  | Effect | art.        |
|--------------------|---------|--------|-------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-TRB-D01 |



| Material           | Finish  | Effect | art.                                                                                     |
|--------------------|---------|--------|------------------------------------------------------------------------------------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-TRB-D26-M10x180<br>SOL-TRB-D26-M10x200<br>SOL-TRB-D26-M10x250<br>SOL-TRB-D26-M10x300 |



| Material           | Finish  | Effect | art.        |
|--------------------|---------|--------|-------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-TRB-D03 |




| Material           | Finish  | Effect | art.        |
|--------------------|---------|--------|-------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-TRB-D05 |



| Material | Finish | Effect | art.        |
|----------|--------|--------|-------------|
| AISI304  | raw    | silver | SOL-TRB-D21 |



| Material | Finish | Effect | art.        |
|----------|--------|--------|-------------|
| AISI304  | raw    | silver | SOL-TRB-D18 |



SOL-MFS-05

SOL-MFS-10

| Material           | Finish  | Effect | art.       | slope |
|--------------------|---------|--------|------------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-MFS-05 | 5°    |
|                    |         |        | SOL-MFS-10 | 10°   |





| Material           | Finish  | Effect | art.       | slope |
|--------------------|---------|--------|------------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-MRS-05 | 5°    |





| Material           | Finish  | Effect | art.       | slope |
|--------------------|---------|--------|------------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-MRS-10 | 10°   |

## PROFILES



| Material           | Finish  | Effect | art.           | L    |
|--------------------|---------|--------|----------------|------|
| ANODIZED ALUMINIUM | natural | silver | SOL-R52-2200   | 2200 |
|                    |         | black  | SOL-R52-3000   | 3000 |
|                    |         | silver | SOL-R52-3000-B | 3000 |
|                    |         | black  | SOL-R52-4700   | 4700 |
|                    |         | black  | SOL-R52-4700-B | 4700 |
|                    |         | silver | SOL-R52-5000   | 5000 |
|                    |         | black  | SOL-R52-5000-B | 5000 |




| Material           | Finish  | Effect | art.         | L   |
|--------------------|---------|--------|--------------|-----|
| ANODIZED ALUMINIUM | natural | silver | SOL-SFR-01   | 150 |
|                    |         | black  | SOL-SFR-01-B |     |




| Material      | Finish | art.    |
|---------------|--------|---------|
| Rubber (EPDM) | black  | SOL-REC |

## PROFILES



| Material           | Finish  | Effect | art.        | L   |
|--------------------|---------|--------|-------------|-----|
| ANODIZED ALUMINIUM | natural | silver | SOL-TRB-D10 | 385 |




| Material           | Finish  | Effect | art.        | L   |
|--------------------|---------|--------|-------------|-----|
| ANODIZED ALUMINIUM | natural | silver | SOL-TRB-D13 | 385 |




| Material           | Finish  | Effect | art.        | L   |
|--------------------|---------|--------|-------------|-----|
| ANODIZED ALUMINIUM | natural | silver | SOL-TRB-D14 | 200 |



| Material           | Finish  | Effect | art.        | L   |
|--------------------|---------|--------|-------------|-----|
| ANODIZED ALUMINIUM | natural | silver | SOL-TRB-D11 | 120 |




| Material           | Finish  | Effect | art.         | L    |
|--------------------|---------|--------|--------------|------|
| ANODIZED ALUMINIUM | natural | silver | SOL-R26-4700 | 4700 |
|                    |         |        | SOL-R26-5000 | 5000 |




| Material           | Finish  | Effect | art.           | L    |
|--------------------|---------|--------|----------------|------|
| ANODIZED ALUMINIUM | natural | silver | SOL-R41-2-2500 | 2500 |
|                    |         |        | SOL-R41-2-2900 | 2900 |
|                    |         |        | SOL-R41-2-4700 | 4700 |
|                    |         |        | SOL-R41-2-5000 | 5000 |


## CLAMPS



| Material           | Finish  | Effect | art.         | h  |
|--------------------|---------|--------|--------------|----|
| ANODIZED ALUMINIUM | natural | silver | SOL-FEC-30   | 30 |
|                    |         | black  | SOL-FEC-30-B | 30 |
|                    |         | silver | SOL-FEC-35   | 35 |
|                    |         | black  | SOL-FEC-35-B | 35 |



| Material           | Finish  | Effect | art.      | h     |
|--------------------|---------|--------|-----------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-EIC   | 30-40 |
|                    |         | black  | SOL-EIC-B | 30-40 |



| Material           | Finish  | Effect | art.    | h     |
|--------------------|---------|--------|---------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-AIC | 30-40 |


## ACCESSORIES



# 1.4

## PITCHED ROOF


TRAPEZE ADJUSTABLE CONSTRUCTION



### SPECIFICATION

|             |                                      |
|-------------|--------------------------------------|
| Application | Sheet metal roof, flat concrete roof |
| Slope       | 10-15°, 15-30°, 30-60°               |
| Material    | AL 6005-T5, SUS 304, EPDM            |
| Finish      | AL6005-T5 elox                       |

|             |                             |
|-------------|-----------------------------|
| Orientation | Portrait, Landscape         |
| Warranty    | 10 years                    |
| LOAD        | 60km/h 1,4kN/m <sup>2</sup> |



## STATIVE L1

SYSTEM 10-15  
SYSTEM 15-30


SOL-ARL-1015  
SOL-ARL-1530  
SOL-AFL



## STATIVE L3

SYSTEM FIX-25°  
SYSTEM 10-60°

SOL-FTP-25  
SOL-ATP-1015  
SOL-ATP-1530  
SOL-ATP-3060



## PROFILES

SOL-R52-...



## CLAMPS

SOL-FEC...  
SOL-AEC  
SOL-EIC



## ACCESSORIES



## STATIVES - L1 (10-15° / 15-30°)



| Material           | Finish  | Effect | art.         | description         | slope   |
|--------------------|---------|--------|--------------|---------------------|---------|
| ANODIZED ALUMINIUM | natural | silver | SOL-ARL-1015 | set (UPPER STATIVE) | 10°-15° |
|                    |         |        | SOL-ARL-1530 |                     | 15°-30° |



| Material           | Finish  | Effect | art.    | description          |
|--------------------|---------|--------|---------|----------------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-AFL | set (BOTTOM STATIVE) |


## STATIVES - L3 (FIX-X / TELESCOPE 10-60°)



| Material           | Finish  | Effect | art.       | description |
|--------------------|---------|--------|------------|-------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-FTP-25 | 25° FIX SET |




| Material           | Finish  | Effect | art.         | description            |
|--------------------|---------|--------|--------------|------------------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-ATP-1015 | 10°-15° ADJUST. - set  |
|                    |         |        | SOL-ATP-1530 | 15°- 30° ADJUST. - set |
|                    |         |        | SOL-ATP-3060 | 30°- 60° ADJUST. - set |



| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-BAL-01 |




## PROFILES




| Material           | Finish  | Effect | art.           | L    |
|--------------------|---------|--------|----------------|------|
| ANODIZED ALUMINIUM | natural | silver | SOL-R52-2200   | 2200 |
|                    |         | black  | SOL-R52-3000   | 3000 |
|                    |         | black  | SOL-R52-3000-B | 3000 |
|                    |         | silver | SOL-R52-4700   | 4700 |
|                    |         | black  | SOL-R52-4700-B | 4700 |
|                    |         | silver | SOL-R52-5000   | 5000 |
|                    |         | black  | SOL-R52-5000-B | 5000 |




| Material           | Finish  | Effect | art.         | L   |
|--------------------|---------|--------|--------------|-----|
| ANODIZED ALUMINIUM | natural | silver | SOL-SFR-01   | 150 |
|                    |         | black  | SOL-SFR-01-B | 150 |




| Material      | Finish | art.    |
|---------------|--------|---------|
| Rubber (EPDM) | black  | SOL-REC |



| Material           | Finish  | Effect | art.    |
|--------------------|---------|--------|---------|
| ANODIZED ALUMINIUM | natural | silver | SOL-RCC |




| Material           | Finish  | Effect | art.    |
|--------------------|---------|--------|---------|
| ANODIZED ALUMINIUM | natural | silver | SOL-RCB |




| Material           | Finish  | Effect | art.    |
|--------------------|---------|--------|---------|
| ANODIZED ALUMINIUM | natural | silver | SOL-RCN |

1.4  
PITCHED ROOF  
ADJUSTABLE CONSTRUCTION


## CLAMPS



| Material           | Finish  | Effect | art.         | h  |
|--------------------|---------|--------|--------------|----|
| ANODIZED ALUMINIUM | natural | silver | SOL-FEC-30   | 30 |
|                    |         | black  | SOL-FEC-30-B | 30 |
|                    |         | silver | SOL-FEC-35   | 35 |
|                    |         | black  | SOL-FEC-35-B | 35 |



| Material           | Finish  | Effect | art.      | h     |
|--------------------|---------|--------|-----------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-AEC   | 30-35 |
|                    |         | black  | SOL-AEC-B | 30-35 |




| Material           | Finish  | Effect | art.      | h     |
|--------------------|---------|--------|-----------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-EIC   | 30-40 |
|                    |         | black  | SOL-EIC-B | 30-40 |

## ACCESSORIES



| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-ELG-02 |



| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-ELG-03 |




| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-ELG-05 |



## FLAT ROOFS - SOLID CONSTRUCTION

### 2.1 SOLAR-PRO

### 2.2 SOLAR-ULT



SOLAR-PRO



SOLAR-ULT




#### SPECIFICATION

##### System SOLAR-PRO (PRO 10, PRO 15)

|               |                                   |
|---------------|-----------------------------------|
| Application   | Flat roof                         |
| Slope         | 10° or 15°                        |
| Material      | extrude aluminium profile 6005 T5 |
| Assemble mat. | AISI 304                          |
| Finish        | Elox                              |
| Orientation   | Horizontal                        |

##### System SOLAR-ULT

|               |                                         |
|---------------|-----------------------------------------|
| Application   | Concrete flat roof and metal sheet roof |
| Slope         | 10°                                     |
| Material      | extrude aluminium profile 6005 T5, EPDM |
| Assemble mat. | AISI 304                                |
| Finish        | Elox                                    |
| Orientation   | Horizontal                              |



## PROFILES


SOL-R41-2...  
SOL-BST-02  
SOL-SFR-04



## HOLDERS SYSTEM PRO

SLOPE 10°  
  
SLOPE 15°

SOL-BPF-10  
SOL-BPR-10  
...  
SOL-BPF-15  
SOL-BPR-15  
...



## HOLDERS SYSTEM ULT


SLOPE 10°  
  
SLOPE 15°

SOL-BPF-10  
SOL-BPR-10  
  
SOL-BPF-15  
SOL-BPR-15



## CLAMPS


SOL-FEC...  
SOL-AEC  
SOL-EIC




## ACCESSORIES



EAST + WEST



SOUTH





PROFILY PROFILES



PRO




ULT




1

| Material           | Finish  | Effect | art.           | L    |
|--------------------|---------|--------|----------------|------|
| ANODIZED ALUMINIUM | natural | silver | SOL-R41-2-2500 | 2500 |
|                    |         |        | SOL-R41-2-2900 | 2900 |
|                    |         |        | SOL-R41-2-4700 | 4700 |
|                    |         |        | SOL-R41-2-5000 | 5000 |



1



| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-BST-02 |

| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-SFR-04 |

| Material    | Effect | art.       |
|-------------|--------|------------|
| FOAM (EPDM) | black  | SOL-EFT-03 |

## HOLDERS - PRO 10°



2

| Material           | Finish  | Effect | art.       | slope |
|--------------------|---------|--------|------------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-BPF-10 | 10°   |






3

| Material           | Finish  | Effect | art.       | slope |
|--------------------|---------|--------|------------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-BPR-10 | 10°   |



4

| Material           | Finish  | Effect | art.       | L    | slope |
|--------------------|---------|--------|------------|------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-BPW-10 | 2350 | 10°   |



## HOLDERS - PRO 15°



| Material           | Finish  | Effect | art.       | slope |
|--------------------|---------|--------|------------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-BPF-15 | 15°   |




| Material           | Finish  | Effect | art.       | slope |
|--------------------|---------|--------|------------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-BPR-15 | 15°   |




| Material           | Finish  | Effect | art.       | L    | slope |
|--------------------|---------|--------|------------|------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-BPW-15 | 2350 | 15°   |


## CLAMPS



| Material           | Finish  | Effect | art.         | h  |
|--------------------|---------|--------|--------------|----|
| ANODIZED ALUMINIUM | natural | silver | SOL-FEC-30   | 30 |
|                    |         | black  | SOL-FEC-30-B |    |
|                    |         | silver | SOL-FEC-35   | 35 |
|                    |         | black  | SOL-FEC-35-B |    |



| Material           | Finish  | Effect | art.      | h     |
|--------------------|---------|--------|-----------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-AEC   | 30-35 |
|                    |         | black  | SOL-AEC-B |       |




| Material           | Finish  | Effect | art.      | h     |
|--------------------|---------|--------|-----------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-EIC   | 30-40 |
|                    |         | black  | SOL-EIC-B |       |

## ACCESSORIES



| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-ELG-02 |





| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-ELG-03 |



| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-ELG-05 |

2.1

FLAT ROOFS  
SOLAR PRO



2.2

FLAT ROOFS  
SOLAR ULT



**PROFILES** - ULT 10°/15°



PRO



ULT




1

| Material           | Finish  | Effect | art.           | L    |
|--------------------|---------|--------|----------------|------|
| ANODIZED ALUMINIUM | natural | silver | SOL-R41-2-2500 | 2500 |
|                    |         |        | SOL-R41-2-2900 | 2900 |
|                    |         |        | SOL-R41-2-4700 | 4700 |
|                    |         |        | SOL-R41-2-5000 | 5000 |

| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-SFR-04 |



| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-BST-02 |



| Material    | Effect | art.       |
|-------------|--------|------------|
| FOAM (EPDM) | black  | SOL-EFT-03 |

# HOLDERS - ULT 10°



2

| Material           | Finish  | Effect | art.       | slope |
|--------------------|---------|--------|------------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-BUF-10 | 10°   |



3

| Material           | Finish  | Effect | art.       | slope |
|--------------------|---------|--------|------------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-BUR-10 | 10°   |



4

| Material           | Finish  | Effect | art.       | L    | slope |
|--------------------|---------|--------|------------|------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-BUW-10 | 2350 | 10°   |

# HOLDERS - ULT 15°




| Material           | Finish  | Effect | art.       | slope |
|--------------------|---------|--------|------------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-BUF-15 | 15°   |




| Material           | Finish  | Effect | art.       | slope |
|--------------------|---------|--------|------------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-BUR-15 | 15°   |




| Material           | Finish  | Effect | art.       | L    | slope |
|--------------------|---------|--------|------------|------|-------|
| ANODIZED ALUMINIUM | natural | silver | SOL-BUW-15 | 2350 | 15°   |




East - West 10°, for a concrete flat roof



South or North 10°, for a concrete flat roof



South or North 10°, for a trapezoidal sheet roof




# ACCESSORIES



# 3

## GROUND SYSTEMS



### SPECIFICATION


|               |                                  |
|---------------|----------------------------------|
| Application   | Flat concrete roof, free terrain |
| Slope         | Custom                           |
| Material      | AL 6005-T5, SUS 304, Q235        |
| Assemble mat. | AISI 304                         |

|             |                                      |
|-------------|--------------------------------------|
| Finish      | AL6005-T5 elox, Q235 hot galvanizing |
| Orientation | Portrait, Landscape                  |
| Warranty    | 10 years                             |
| LOAD        | 60km/h 1,4kN/m <sup>2</sup>          |



## HOLDERS

SOL-CH2-01  
SOL-CH2-02  
SOL-GB2-01  
SOL-GB2-02




## PRE-ASSEMBLED SUPPORTS

TYP W

TYP N

TYP V




## PROFILES

SOL-R80  
SOL-SFR-R80  
SOL-B95






## CLAMPS

SOL-GEC-XX  
SOL-GIC-XX  
SOL-GRC  
SOL-GS2




## SETS





## HOLDERS



| 1 | Material           | art.       |
|---|--------------------|------------|
|   | ANODIZED ALUMINIUM | SOL-CH2-01 |



| 2 | Material           | art.       |
|---|--------------------|------------|
|   | ANODIZED ALUMINIUM | SOL-CH2-02 |




| 3 | Material           | art.       |
|---|--------------------|------------|
|   | ANODIZED ALUMINIUM | SOL-GB2-02 |



| 4 | Material           | art.       |
|---|--------------------|------------|
|   | ANODIZED ALUMINIUM | SOL-GB2-01 |

## SUPPORTS



| Material           | Finish  | Effect | art.        |
|--------------------|---------|--------|-------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-W-FRAME |

| Material           | Finish  | Effect | art.        |
|--------------------|---------|--------|-------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-N-FRAME |

| Material           | Finish  | Effect | art.        |
|--------------------|---------|--------|-------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-V-FRAME |

## PROFILES



| Material           | art.    |
|--------------------|---------|
| ANODIZED ALUMINIUM | SOL-R80 |



| Material           | art.        |
|--------------------|-------------|
| ANODIZED ALUMINIUM | SOL-SFR-R80 |



| Material           | art.    |
|--------------------|---------|
| ANODIZED ALUMINIUM | SOL-B95 |




| Material           | art.    |
|--------------------|---------|
| ANODIZED ALUMINIUM | SOL-GS2 |



| Material | art.         |
|----------|--------------|
| steel Zn | SOL-GF1-1600 |

## CLAMPS



| Material           | art.    |
|--------------------|---------|
| ANODIZED ALUMINIUM | SOL-GEC |



| Material           | art.    |
|--------------------|---------|
| ANODIZED ALUMINIUM | SOL-GIC |




| Material           | art.    |
|--------------------|---------|
| ANODIZED ALUMINIUM | SOL-GRC |


## GROUND SET



| Material           | art.             | FV panel (optional) |
|--------------------|------------------|---------------------|
| ANODIZED ALUMINIUM | SOL-W-GROUND-SET | 20                  |




| Material           | art.             | FV panel (optional) |
|--------------------|------------------|---------------------|
| ANODIZED ALUMINIUM | SOL-N-GROUND-SET | 20                  |



| Material           | art.             | FV panel (optional) |
|--------------------|------------------|---------------------|
| ANODIZED ALUMINIUM | SOL-V-GROUND-SET | 4                   |





| Material    | art.             | FV panel (optional) |
|-------------|------------------|---------------------|
| FE-MAGNELIS | SOL-WS026M-SET8  | 8                   |
|             | SOL-WS026M-SET24 | 24                  |



# 4


## CARPORT



### SPECIFICATION


|             |                       |
|-------------|-----------------------|
| Application | Solar parking station |
| Slope       | 5°, 8°, 10° or custom |
| Material    | AL 6005-T5, SUS 304   |
| Finish      | AL6005-T5 elox        |

|             |                                               |
|-------------|-----------------------------------------------|
| Orientation | Portrait, Landscape                           |
| Warranty    | 10 years                                      |
| LOAD        | 35km/h 2,5kN/m <sup>2</sup>                   |
| Norms       | AS/NZ1170.2, JIS C 8955, MCS 012, TUV, UL2703 |




## HOLDERS

SOL-CPH-01  
SOL-CPS-02




## PROFILES

SOL-R125..  
SOL-B110..



## ACCESSORIES

SOL-CPS...  
SOL-RWT...  
SOL-HWT...



## CLAMPS

SOL-FEC  
SOL-GRC



## SETS


SOL-CARPORT2-SET



## HOLDERS




| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-CPH-01 |



| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-CPS-02 |




## PROFILES





| Material           | Finish  | Effect | art.          | L    |
|--------------------|---------|--------|---------------|------|
| ANODIZED ALUMINIUM | natural | silver | SOL-R125-2200 | 2200 |
|                    |         |        | SOL-R125-5000 | 5000 |



| Material           | Finish  | Effect | art.         | L   |
|--------------------|---------|--------|--------------|-----|
| ANODIZED ALUMINIUM | natural | silver | SOL-SFR-R125 | 500 |



| Material           | Finish  | Effect | art.          | L    |
|--------------------|---------|--------|---------------|------|
| ANODIZED ALUMINIUM | natural | silver | SOL-B110-5700 | 5700 |



| Material           | Finish  | Effect | art.         | L    |
|--------------------|---------|--------|--------------|------|
| ANODIZED ALUMINIUM | natural | silver | SOL-CPS-2273 | 2273 |
|                    |         |        | SOL-CPS-2547 | 2547 |
|                    |         |        | SOL-CPS-2877 | 2877 |
|                    |         |        | SOL-CPS-3095 | 3095 |

| Material           | Finish  | Effect | art.         | L    |
|--------------------|---------|--------|--------------|------|
| ANODIZED ALUMINIUM | natural | silver | SOL-RWT-5800 | 5800 |




| Material           | Finish  | Effect | art.    | L    |
|--------------------|---------|--------|---------|------|
| ANODIZED ALUMINIUM | natural | silver | SOL-HWT | 2220 |

## CLAMPS



| Material           | Finish  | Effect | art.    |
|--------------------|---------|--------|---------|
| ANODIZED ALUMINIUM | natural | silver | SOL-PVC |


| Material           | Finish  | Effect | art.    |
|--------------------|---------|--------|---------|
| ANODIZED ALUMINIUM | natural | silver | SOL-GRC |



## ACCESSORIES



## CARPORT SET - WATERPROOF



| Material                                                      | Finish  | Effect | art.               |  |  |  |  |  |  |  |  |  |  |
|---------------------------------------------------------------|---------|--------|--------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| ANODIZED ALUMINIUM                                            | natural | silver | SOL-CARPORT2-SET15 | SOL-R125-...                                                                        | SOL-SFR-R125                                                                        | SOL-RWT-5800                                                                        | SOL-GRC                                                                             | SOL-PVC                                                                             | SOL-B110-5700                                                                         | SOL-CPH-01                                                                            | SOL-CPS-...                                                                           | SOL-CPB-02                                                                            | SOL-HWT                                                                               |
| SET CARPORT preassembled frame, FV panels not included in SET |         |        |                    | 6x 2200<br>6x 5000                                                                  | 7x                                                                                  | 4x                                                                                  | 84x                                                                                 | 60x                                                                                 | 2x                                                                                    | 8x                                                                                    | 2x 2273<br>2x 2547<br>2x 2877<br>2x 3095                                              | 4x                                                                                    | 15x                                                                                   |



| SOL-NUUKO-450-BF |                       |
|------------------|-----------------------|
| Panel type       | Monocrystalline       |
| Power            | 450 Wp                |
| Weight           | 25,5 kg               |
| Max. IMPP        | 11,01 A               |
| Max. VOLT        | 40,9 V                |
| Effectivity      | 21,5 %                |
| Frame            | black anod. aluminium |
| Dimension        | 2094x1038x35 mm       |
| Operating temp.  | -40°C ~ +85°C         |
| IP rating        | IP68                  |

art.

SOL-NUUKO-450-BF



| SOL-LONGi-550   |                       |
|-----------------|-----------------------|
| Panel type      | Monocrystalline       |
| Power           | 550 Wp                |
| Weight          | 27,2 kg               |
| Max. IMPP       | 13,12 A               |
| Max. VOLT       | 41,95 V               |
| Effectivity     | 21,5 %                |
| Frame           | black anod. aluminium |
| Dimension       | 2256x1133x35 mm       |
| Operating temp. | -40°C ~ +85°C         |
| IP rating       | IP68                  |

art.

SOL-LONGi-550

## MIX ACCESSORIES



art.

SOL-MC4-TOOL



art.

SOL-MC4-EVO2-F



art.

SOL-MC4-EVO2-M



| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-ELG-02 |



| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-ELG-03 |




| Material           | Finish  | Effect | art.       |
|--------------------|---------|--------|------------|
| ANODIZED ALUMINIUM | natural | silver | SOL-ELG-05 |



| Material           | Finish  | Effect | art.    |
|--------------------|---------|--------|---------|
| ANODIZED ALUMINIUM | natural | silver | SOL-NBW |



| Material | Finish | Effect | art.    |
|----------|--------|--------|---------|
| AISI304  | raw    | silver | SOL-TBK |



| Material | Finish | Effect | art.       |
|----------|--------|--------|------------|
| AISI304  | raw    | silver | SOL-CCP-04 |



| Material | Finish | Effect | art.      |
|----------|--------|--------|-----------|
| AISI304  | raw    | silver | SOL-REL-B |




| Material | Finish | Effect | art.      |
|----------|--------|--------|-----------|
| AISI304  | raw    | silver | SOL-REL-B |



| color | art.                   | žila | L(m) |
|-------|------------------------|------|------|
| red   | SOL-H1Z2Z2-K 1x4 red   | 1x   | 100  |
| black | SOL-H1Z2Z2-K 1x4 black | 4mm  |      |
| red   | SOL-H1Z2Z2-K 1x6 red   | 1x   |      |
| black | SOL-H1Z2Z2-K 1x6 black | 6mm  |      |





| Material           | Finish  | Effect | art.    |
|--------------------|---------|--------|---------|
| ANODIZED ALUMINIUM | natural | silver | SOL-TEC |




| Material           | Finish  | Effect | art.    |
|--------------------|---------|--------|---------|
| ANODIZED ALUMINIUM | natural | silver | SOL-TIC |

## PROFILY PROFILES




| Material           | Finish  | Effect | art.           | L    |
|--------------------|---------|--------|----------------|------|
| ANODIZED ALUMINIUM | natural | silver | SOL-R52-2200   | 2200 |
|                    |         | black  | SOL-R52-3000   | 3000 |
|                    |         | black  | SOL-R52-3000-B |      |
|                    |         | silver | SOL-R52-4700   | 4700 |
|                    |         | black  | SOL-R52-4700-B |      |
|                    |         | silver | SOL-R52-5000   | 5000 |
|                    |         | black  | SOL-R52-5000-B |      |




| Material           | Finish  | Effect | art.         | L   |
|--------------------|---------|--------|--------------|-----|
| ANODIZED ALUMINIUM | natural | silver | SOL-SFR-01   | 150 |
|                    |         | black  | SOL-SFR-01-B |     |




| Material      | Finish | art.    |
|---------------|--------|---------|
| Rubber (EPDM) | black  | SOL-REC |




| Material           | Finish  | Effect | art.        | L   |
|--------------------|---------|--------|-------------|-----|
| ANODIZED ALUMINIUM | natural | silver | SOL-TRB-D10 | 385 |




| Material           | Finish  | Effect | art.        | L   |
|--------------------|---------|--------|-------------|-----|
| ANODIZED ALUMINIUM | natural | silver | SOL-TRB-D13 | 385 |





| Material           | Finish  | Effect | art.        | L   |
|--------------------|---------|--------|-------------|-----|
| ANODIZED ALUMINIUM | natural | silver | SOL-TRB-D14 | 200 |





| Material           | Finish  | Effect | art.        | L   |
|--------------------|---------|--------|-------------|-----|
| ANODIZED ALUMINIUM | natural | silver | SOL-TRB-D11 | 120 |





| Material           | Finish  | Effect | art.         | L    |
|--------------------|---------|--------|--------------|------|
| ANODIZED ALUMINIUM | natural | silver | SOL-R42-5000 | 5000 |



| Material           | Finish  | Effect | art.         | L    |
|--------------------|---------|--------|--------------|------|
| ANODIZED ALUMINIUM | natural | silver | SOL-R62-5000 | 5000 |



| Material           | Finish  | Effect | art.         | L    |
|--------------------|---------|--------|--------------|------|
| ANODIZED ALUMINIUM | natural | silver | SOL-R26-4700 | 4700 |
|                    |         | silver | SOL-R26-5000 | 5000 |



| Material           | Finish  | Effect | art.           | L    |
|--------------------|---------|--------|----------------|------|
| ANODIZED ALUMINIUM | natural | silver | SOL-R41-2-2500 | 2500 |
|                    |         |        | SOL-R41-2-2900 | 2900 |
|                    |         |        | SOL-R41-2-4700 | 4700 |
|                    |         |        | SOL-R41-2-5000 | 5000 |



Art.  
PNL/SOLAR-SAMPLE

*new*



Art.  
kat-solar systems 23-24

*new*



Art.  
kat-fence systems 23-24

*new*



Art.  
kat-glass railings 23-24

*new*



Art.  
kat-post railings 23-24



Art.  
kat-glass systems 23-24



Art.  
kat-forged 23-24



Art.  
kat-gates 23-24



Art.  
kat-automations 23-24